

```
<head>
</head>
<body>
<h3>This is a simple html form</h3>
<form method=POST action="http://www.remoteserver.com/form.cgi">
This is html within the form tags, but not within input
elements.
Name: <input type=text name=firstname size=10>
Smoker?: <input type=radio name=smoker value=yes> Yes &nbsp;
              <input type=radio name=smoker value=no> No
Location:
<select name=location>
<option value=US>USA
<option value=ROW>Other
</select> 
<input type=hidden name=id value=1002>
<input type=submit name=submit value="Submit Form">
</form>
This is html material outside the form tags.
</body>
```

Figure 2: Example of simple form (F) rendered in a browser




Figure 3: one embodiment of a system configuration according to the teachings of the present invention




Figure 4: Example of one embodiment of a user interface for configuring form functionality

Configuration of form functionality
Choose these links to configure the functionality of your form
Form upload
Upload your form here: Browse
Enter the URL to your form:
Validation configuration
Click <u>here</u> if you wish to ensure certain fields are present in the form
Response page configuration
Click here to configure what response your user sees when the form is submitted
Email configuration
Click <u>here</u> to configure how the form should be emailed to you
Database configuration
Click <u>here</u> to configure how the form input should be stored in a database
Advanced configuration
Click here for advanced configurations like cookie tracking, license key generation, derived quantity generation, special alert actions etc.
Submit Query

.__...

Figure 5: block diagram of one embodiment of a system for remote configuration of forms and generation of cgi




Figure 6: flow diagram of one embodiment of a method for form configuration

